



Toll free +1 (833) 978 8833
info@mckequipment.ca
Visit mckonline.ca for more details

Quality Kitchen
Equipment & Supplies



Direct Draw Keg Cooler

MCK-UDD-24-48SS-HC | MCK-UDD-24-60SS-HC |
MCK-UDD-24-72FSS-HC

FEATURES

- Stainless steel exterior & interior
- Digital controller
- Temperatures between 33°F – 40°F
- Heavy duty Embraco compressor with environmentally friendly R290 refrigerant
- Slide out compressor assembly
- Stainless steel drip tray(s)
- Recessed door handle(s)
- Dual tap tower(s) standard
- Interior light(s)
- Magnetic door gasket(s) standard for positive door seal
- Manifold and ball taps included
- Door lock(s) standard
- Pre-installed casters



MCK-UDD-24-48SS-HC



MCK-UDD-24-60SS-HC



MCK-UDD-24-72SS-HC

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.





Toll free +1 (833) 978 8833
info@mckequipment.ca
Visit mckonline.ca for more details

Quality Kitchen
Equipment & Supplies







SPECIFICATIONS




Model	Door	Shelves	Tap Tower	Capacity (Cu. Ft. / Barrels)	Casters (Inch)	Rated Current (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions	Net Weight (lbs)	Gross Weight (lbs)
MCK-UDD-24-48SS-HC	1	4	1 Single Tower	11.8 / 2*1/2	2	3	115/60/1	1/5	R290	48 7/8 x 24 3/8 x 35 5/8	132	188
MCK-UDD-24-60SS-HC	2	4	1 Single Tower	15.8 / 2*1/2	2	3	115/60/1	1/5	R290	60 3/4 x 24 3/8 x 35 5/8	209	243
MCK-UDD-24-72SS-HC	3	6	2 Single Tower	19.6 / 3*1/2	2	4	115/60/1	1/4+	R290	72 3/4 x 24 3/8 x 35 5/8	234	291

PLAN VIEW

MCK-UDD-24-48SS-HC



MCK-UDD-24-72SS-HC



Side Dimensions

Casters



Tap Tower



Drip tray



Door Lock



Temp. Control





Toll free +1 (833) 978 8833
info@mckequipment.ca
Visit mckonline.ca for more details

Quality Kitchen
Equipment & Supplies



Direct Draw Keg Cooler

MCK-UDD-24-48SS-HC | MCK-UDD-24-60SS-HC |
MCK-UDD-24-72FSS-HC

FEATURES

- Stainless steel and Black exterior & interior
- Digital controller
- Temperatures between 33°F – 40°F
- Heavy duty Embraco compressor with environmentally friendly R290 refrigerant
- Slide out compressor assembly
- Stainless steel drip tray(s)
- Recessed door handle(s)
- Dual tap tower(s) standard
- Interior light(s)
- Magnetic door gasket(s) standard for positive door seal
- Manifold and ball taps included
- Door lock(s) standard
- Pre-installed casters



MCK-UDD-1-HC



MCK-UDD-2-HC



MCK-UDD-4-HC



MCK-UDD-3-HC

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.





Toll free +1 (833) 978 8833
info@mckequipment.ca
Visit mckonline.ca for more details

Quality Kitchen
Equipment & Supplies




SPECIFICATIONS




Model	Door	Shelves	Tap Tower	Capacity (Cu. Ft. / Barrels)	Casters (Inch)	Rated Current (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions	Net Weight (lbs)	Gross Weight (lbs)
MCK-UDD-1-HC	1	2	1 Single Tower	6.5 / 2 x 1/2	2	1.92	115/60/1	1/6	R290	23 x 31 1/10 x 31 1/10	132	188
MCK-UDD-2-HC	2	4	1 Single Tower	19 / 2 x 1/2	2	2.88	115/60/1	1/5	R290	58 7/8 x 27 x 35 5/8	209	243
MCK-UDD-3-HC	2	4	2 Single Tower	23.3 / 3 x 1/2	2	3.6	115/60/1	1/5	R290	59 1/8 x 27 x 35 5/8	234	291
MCK-UDD-4-HC	3	6	2 Single Tower	32 / 4 x 1/2	2	4.7	115/60/1	1/4+	R290	69 1/8 x 27 x 35 5/8	282	357

PLAN VIEW



MCK-UDD-1-HC






MCK-UDD-2-HC



MCK-UDD-3-HC



MCK-UDD-4-HC



Side Dimensions

Casters



Tap Tower



Drip tray



Door Lock



Temp. Control

